S CORESH ТМ

Corest

Honeywell

CoreShield

25-09138

MAKING TOUGH CHOICES, INTO EASY DECISIONS

Enhanced cut resistance, comfort, ease of selection, cost effectiveness... All in one glove. With Honeywell CoreShield™, simplified hand protection is at your fingertips.

OUR FOCUS IS GIVING WORKERS THE RIGHT **CUT PROTECTION**


Choosing the right cut-protective gloves is a key challenge for safety professionals who simply can't afford to get it wrong. Now that new standards EN388:2016 ISO 13997 in Europe and ANSI-105 2016 in North America have simplified classifications for cut resistant levels, knowing the protection level is better understood. However, what has not changed, is knowing if you are choosing the right level of cutprotective gloves and the need to balance cut protection with:

- Dexterity
- Comfort
- Wellbeing
- Grip
- Cost

With vast experience and comprehensive expertise in hand protection, Honeywell is at the forefront of innovation in personal protective equipment. Researching, testing and utilizing new materials and new technology will enable Honeywell to develop solutions which provide optimum cut protection - without compromising customer needs.

CoreShield[™], the complete range of cut protective gloves from Honeywell, is designed to simplify glove selection for each application to be in line with the new standards. The innovative materials, technology and construction of the CoreShield[™] range will help you ensure your workers are not only protected but also comfortable and productive.

The durability of the gloves in the CoreShield[™] range will help you meet the demands of the regulations and the needs of your workers, all within vour budget.



THE CORESHIELD[™] **CUT-PROTECTIVE** RANGE

HAVING THE RIGHT GLOVES FOR THE RIGHT APPLICATION **IS CRUCIAL TO PROVIDING** YOUR WORKERS WITH THE OPTIMUM AVAILABLE **PROTECTION.**

Thanks to its high-performance fiber, the Honeywell CoreShield[™] range offers complete cut protection from Level A/A1 to F/A9, in a choice of gauges and coatings. The extensive range and advanced design and manufacture make CoreShield[™] gloves:

EASY TO CHOOSE

The color-coded marking system makes it easy for you to choose the gloves you need for your application, according to the new EN/ANSI standards. Based on your working environment and industry, you may choose by level of cut protection, grip, dexterity and fit.

EASY TO USE

CoreShield[™] gloves are one of the lightest-weight cut-protective gloves on the market. This enables greater dexterity for wearers. A specially designed micro-foam elastic coating provides outstanding oil- and dry-grip performance.

EASY TO WEAR

The light weight of CoreShield™ gloves helps to prevent hand fatigue for workers who need to wear gloves all day long. CoreShield[™] coatings offer 360° breathability through an open cell structure – enhancing comfort, for longer wear.

Other cut-protective gloves usually incorporate glass fiber, which can pose a skin allergy risk for some wearers. Honeywell CoreShield™ gloves have replaced glass fiber with softer, skin-friendly yarns that reduce the allergy risk to wearers. Consequently, all CoreShield[™] gloves are certified STANDARD 100 by OEKO-TEX[®].





COST-EFFECTIVE TO BUY

The CoreShield[™] High Performance Coating with abrasion enhancement technology doubles the durability of our gloves. In addition, the washability of the glove material means that even after 5 washing cycles, there are no significant changes in performance or size. Together, these factors mean that CoreShield[™] gloves have a longer life, which in turn translates into less frequent replacements and reduced cost of ownership. Purchasing of CoreShield™ gloves is an investment.

A HANDFUL OF FEATURES

A NUMBER OF ADDITIONAL KEY FEATURES ENHANCE THE USABILITY, WEARABILITY AND DURABILITY OF THE CORESHIELD[™] RANGE.

THUMB REINFORCEMENT

 The thumb plays a crucial role in grip and dexterity, and is often subject to greater wear than other areas of the glove. All CoreShield[™] gloves have a reinforced thumb for greater wear resistance and extended product life.

TOUCHSCREEN **RESISTIVE AND** CAPACITIVE

• CoreShield[™] gloves are compatible with resistive touchscreen technology. In-house testing has shown that users can operate touch panels of industrial machines and smartphone touchscreens without taking their gloves off.

SILICON FREE

• No silicon is added at any point in the CoreShield™ gloves manufacturing process, which means they are safe to wear in painting applications.

HAND AND WRIST PROTECTION

A longer cuff ensures wrist protection.




WHAT MAKES A CORESHIELD™ GLOVE?

A HONEYWELL CORESHIELD[™] GLOVE MAKES CUT PROTECTION SIMPLE. BUT WHAT MAKES A HONEYWELL CORESHIELD™ GLOVE?


01 Color coding and EN/ANSI cut protection level marking



03 CoreShield[™] High Performance Coating




FOR ENHANCED 360° BREATHABILITY





02 CoreShield[™] Engineered Yarn



THE CUT-PROTECTIVE GLOVE FOR EVERY JOB

With gauge ranging from 10-18gg, cut levels from A/A1 – F/A9, and a choice of three different coatings, the Honeywell CoreShield[™] range offers a solution for a wide range of applications across most industries, including:

- Manufacturing
- Automotive
- Metal stamping
- Glass handling
- Construction
- Logistics

CHOOSE YOUR HONEYWELL CORESHIELDTM

| SKU | PRODUCT NAME & DESCRIPTION | CUT LEVEL & COLOR CODING | EN388:2016 PERFORMANCES | 1 | NSI/ISEA 05:2016 ORMANCES ABRASION | EN407 PERFOR- MANCES |
|----------|--|--------------------------------|----------------------------|----|---|----------------------------|
| 21-1515B | CoreShield, 15 gauge nylon black liner, nitrile micro-foam black coating, A1/A | A1 A | 4X31A | A1 | 6 | |
| 21-1518B | CoreShield, 18 gauge nylon black liner, nitrile micro-foam black coating, A1/A | A1 A | 4X21A | A1 | 6 | |
| 21-1818B | CoreShield, 18 gauge nylon black liner, nitrile super thin black coating, A1/A | A1 A | 4X21A | A1 | 5 | |
| 22-7513B | CoreShield, 13 gauge HPPE black liner, nitrile micro-foam black coating, A2/B | A2 B | 4X42B | A2 | 6 | |
| 22-7513W | CoreShield, 13 gauge HPPE white liner, nitrile micro-foam grey coating, A2/B | A2 B | 4X42B | A2 | 6 | |
| 22-7913B | CoreShield, 13 gauge HPPE black liner, smooth nitrile black coating, A2/B | A2 B | 4X42B | A2 | 6 | |
| 22-7518B | CoreShield, 18 gauge HPPE grey liner, nitrile micro-foam black coating, A2/B | A2 B | 4X31B | A2 | 6 | |
| 23-0513B | CoreShield, 13 gauge HPPE/basalt black liner, nitrile micro-foam black coating, A3/C | A3 C | 4X43C | A3 | 6 | X1XXXX |
| 23-0913B | CoreShield, 13 gauge HPPE/basalt black liner, smooth nitrile black coating, A3/C | A3 C | 4X43C | A3 | 6 | X1XXXX |
| 23-7518B | CoreShield, 18 gauge HPPE/basalt black liner, nitrile micro-foam black coating A3/C | A3 C | 4X42C | A3 | 6 | X1XXXX |
| 24-0513B | CoreShield, 13 gauge HPPE/basalt black liner, nitrile micro-foam black coating, A4/D | A4 D | 4X43D | Α4 | 6 | |
| 24-0513W | CoreShield, 13 gauge HPPE/basalt white liner, nitrile micro-foam grey coating, A4/D $$ | A4 D | 4X43D | Α4 | 6 | |
| 24-0913B | CoreShield, 13 gauge, HPPE/basalt black liner, smooth nitrile black coating, A4/D | A4 D | 4X44D | Α4 | 6 | |
| 24-9518B | CoreShield, 18 gauge, HPPE/steel black liner, nitrile micro-foam black coating, A4/D | A4 D | 4X31D | Α4 | 6 | |
| 25-0513B | CoreShield, 13 gauge HPPE/stainless steel black liner, nitrile mi- cro-foam black coating, A5/E | A5 E | 4X42E | A5 | 6 | |
| 25-0913B | CoreShield, 13 gauge HPPE/stainless steel black liner, smooth nitrile black coating, A5/E | A5 E | 4X42E | A5 | 6 | |
| 26-0513W | CoreShield, 13 gauge HPPE/alloy/basalt white liner, nitrile micro-foam grey coating, A6/F | A6 F | 4X44F | A6 | 6 | |
| 26-0513B | CoreShield, 13 gauge HPPE/alloy/basalt black liner, nitrile micro-foam black coating, A6/F | A6 F | 4X44F | A6 | 6 | |
| 26-0913B | CoreShield, 13 gauge HPPE/alloy/basalt black liner, smooth nitrile black coating, A6/F | A6 F | 4X44F | A6 | 6 | |
| 27-0513B | CoreShield, 13 gauge HPPE/alloy black liner, nitrile micro-foam coating, A7/F | A7 F | 4X44F | Α7 | 6 | |
| 28-0910B | CoreShield, 10 gauge HPPE/Kevlar/alloy black liner, smooth nitrile black coating, A8/F | A8 F | 4X44F | A8 | 6 | |
| 29-0910B | CoreShield, 10 gauge HPPE/Kevlar/alloy black liner, smooth nitrile black coating, A9/F | A9 F | 4X44F | A9 | 6 | |

Packaging: Gloves are packed in a plastic bag by inner pack of 10 pairs, 10 inner packs per case (100 pairs)



Cut protection made simple

Honeywell Safety Products (UK) Limited

Edison Rd - Basingstoke RG21 6QD United Kingdom +44 (0) 1256 693200 info-uk.hsp@honeywell.com

Honeywell Safety Products Europe SAS

Immeuble Edison Paris Nord 2 33, rue des Vanesses - CS 55288 Villepinte 95958 Roissy CDG Cedex - France +33 (0) 149 90 79 79 info-export.hsp@honeywell.com

Industrial Safety PPE Technical Support

Free Phone: 00 800 3344 2803 (free calls in Europe) Phone: +44 (0) 1698 647 087 (paid calls) IS.PPE.TECHSUPPORT. EUROPE@honeywell.com

www.honeywellsafety.com

GS_GLOVES_CoreShield_Brochure_EN_EU_HCU001_06/19 © 2019 Honeywell International Inc.

THE FUTURE IS WHAT WE MAKE IT

